

Government of Kerala കേരള സർക്കാർ 2012



Regn. No. KERBIL/2012/45073 dated 5-9-2012 with RNI

Reg. No. രജി. നമ്പർ KL/TV(N) /12/12-14

KERALA GAZETTE കേരള ഗസററ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. I	THIRUVANANTHAPURAM, TUESDAY	18th September 2012 2012 സെപ്റ്റംബർ 18	No.	15
വാല്യം 1	തിരുവനന്തപുരം, ചൊവ	27th Bhadra 1934 1934 ഭാദ്രം 27	നമ്പർ	13

PART III

Stores Purchase

Stationery Department

TENDER NOTICE

No. 8440/B3/2012/Sty. 17th August 2012.

Sealed tenders are invited for the supply of the following paper/Stationery items as per the details below:

Sl. No.	Tender Number and Name of Items	Quantity
(1)	(2)	(3)
1	53/2012-13—(1) Colour Printing Paper RA1 (61x86cm) 60 gsm (15.7kg per ream of 500 sheets) (Light Pink Shade)	15.7 Tonne
(Light Blue	(2) Colour Printing Paper RA1 (61x 86cm) 60 gsm (15.7 kg per ream of 500 sheets) shade)	15.7 "
	IS: 1848/2007 Tensile Index (Min): CD-17, MD-25, Opacity (Min)-80% one Min Cobb (Max)-25	
2	54/2012-13—(1) Colour Printing Paper RA1 (61x 86cm) 60 gsm (15.7kg per ream of 500 sheets) (Light Yellow Shade)	15.7 "
	(2) Colour Printing Paper RA1 (61x 86cm) 60 gsm (15.7 kg per ream of 500 sheets) (Light Green Shade)	15.7 "
	IS: 1848/2007 Tensile Index (Min): CD-17, MD-25, Opacity (Min)-80% one Min Cobb (Max)-25	

(1)	(2)	(3)
3	55/2012-13—(1) Colour Cover Paper RA1 (61x 86cm)× 90 gsm (23.6kg per ream of 500 sheets) (Light Pink Shade)	10 "
	(2) Colour Cover Paper RA1 ($61x\ 86cm$) \times 90 gsm ($23.6kg\ per\ ream\ of\ 500\ sheets$) (Light Blue Shade)	10 "
	(3) Colour Cover Paper RA1 ($61x$ 86cm) \times 90 gsm ($23.6kg$ per ream of 500 sheets) (Light Yellow Shade)	10 "
	(4) Colour Cover Paper RA1 (61x 86cm) \times 90 gsm (23.6kg per ream of 500 sheets) (Light Green Shade)	10 "
	IS: 1848/2007	
4	56/2012-13—(1) Colour Cover Paper RA1 28.9kg 110 gsm (Light Pink one side glaced)	8 "
	(2) Colour Cover Paper RA1 28.9kg 110 gsm (Light Blue One side glaced)	8 "
	(3) Colour Cover Paper RA1 28.9kg 110 gsm (Light Yellow One side glaced)	8 "
	(4) Colour Cover Paper RA1 28.9kg 110 gsm (Light Green One side glaced)	8 "
5	57/2012-13—Kraft Paper RA1(61x86cm) x 75 gsm (19.7 kg per ream of 500 sheets)	30 Tonne
	IS: 1397/1996	
6	58/2012-13—(1) Kraft Paper One side glaced RA1 23.6 kg 90 gsm (per ream of 500 sheets)	30 "
	(2) Kraft Paper One side glaced RA1 28.9 kg 110 gsm (per ream of 500 sheets)	30 "
	IS: 1397/1996	
7	59/2012-13—Type Writing Paper A4 (21x29.7cm) x 40 gsm (1.25 kg per ream of 500 sheets)	10 "
	IS: 1848/2007	
8	60/2012-13— Duplicating Paper A4 (Semi Absorbent) (21x29.5cm) x 75gsm (2.3kg per ream of 500 sheets) IS: 1848/2007	45 "
9	61/2012-13— Cambric Cloth (130 cm width Roll of 50 mtr) (As per IS Specification)	5000 Meter
10	62/2012-13— Stamp Pad Medium size (11x7cm) (Violet) (As per IS Specification)	50000 Nos.
11	63/2012-13—(1) Tag for Files 17.5 cm long Bundles of 100 Nos.)	50000 Bundle
	(2) White Twine (in Ball of 50gm)	50000 Ball
	(3) Jute Twine (3 ply well twisted and gummed in ball of 100gms)	50000 Ball
	IS: 1912/1984	
12	64/2012-13— Cotton Calico (90cm width in Roll of 20 meters)	10000 Meter
	IS: 1544/1973	
13	65/2012-13— Rexine Venyl Coated (90cm width in Roll of 20 meters) As per IS Specification	2000 Meter
14	66/2012-13—Glue in Sheet (As per IS Specification)	1000 kg

Cost of Tender Form:

Original— 2,415 for Sl. Nos. 1, 6; 2,100 for Sl. No. 2; 1,680 for Sl. No. 3; 1,785 for Sl. Nos. 4, 5; 1,260 for Sl. No. 7; 3,150 for Sl. No. 8; 420 for Sl. Nos. 9, 12, 13, 14; 1,155 for Sl. No. 10 and 2,730 for Sl. No. 11.

Duplicate— 1,208 for Sl. Nos. 1, 6; 1,050 for Sl. No. 2; 840 for Sl. No. 3; 893 for Sl. Nos. 4, 5; 630 for Sl. No. 7; 1,575 for Sl. No. 8; 210 for Sl. Nos. 9, 12, 13, 14; 578 for Sl. No. 10 and 1,365 for Sl. No. 11.

Date and time of sale of tender forms—25-9-2012, 4 p. m. for Sl. Nos. 1 to 4; 26-9-2012, 4 p. m. for Sl. Nos. 5 to 8 and 27-9-2012, 4 p. m. for Sl. Nos. 9 to 14.

Date and time of receipt of tender form—26-9-2012, 3 p. m. for Sl. Nos. 1 to 4; 27-9-2012, 3 p. m. for Sl. Nos. 5 to 8 and 28-9-2012, 3 p. m. for Sl. Nos. 9 to 14.

Date and time of opening of tender—26-9-2012, 4 p. m. for Sl. Nos. 1 to 4; 27-9-2012, 4 p. m. for Sl. Nos. 5 to 8 and 28-9-2012, 4 p. m. for Sl. Nos. 9 to 14.

- 1. Intending tenderers may on application to the Controller of Stationery. Kerala, Thiruvananthapuram-695 033 obtain the requisite tender forms on which the tenders arc to be submitted.
- 2. The sale of tender forms will be closed at 24 hours before the time fixed for the opening of the tenders. Cost of tender forms will be accepted either in cash (remittance in the office) or by Money Order only and should be sent to the Controller of Stationery, Thiruvananthapuram- 695 033 (Name of the Officer should not be mentioned). Cheques, Postage Stamps and Demand Drafts will not be accepted towards the cost of tender forms nor will the tender forms be sent by VPP. The cost of tender forms are not refundable under any circumstances. The tender
- number and the name of the item for which the tender form is required should be clearly specified in the application/M.O. Coupon. The tender forms are not transferable. The last date and time fixed for receipt of tender is 3 p. m. on the date fixed for opening of tender. If the date of opening of tender happens to be a holiday it will be opened at 4p.m. on the next working day.
 - 3. The covers containing the tenders shall be appropriately superscribed with the tender number and item and addressed to the Controller of Stationery, Thiruvananthapuram-695 033. Late tenders will not be accepted. The tenders will be opened in the presence of the tenderers or their authorized representatives who may be present at the time of opening of the tenders.
 - 4. Every tenderer shall send along with his tender an agreement executed on a Kerala Stamp Paper worth 100 and furnish 1% of the total cost of the material as Earnest Money Deposit. EMD will be accepted in Cash/Demand Draft/FDR taken in favour of Controller of Stationery with due endorsement. No bidder except SSI units having registration with the store purchase shall be exempted from the EMD/ Bid security vide GO (P) No.448/05/Fin dated 13-10-2005. The facility of purchases against Form-D stands withdrawn vide Government of India Notification on 29th March, 2007 of the Central Sales Tax Act, 1956.
 - 5. A specimen of the preliminary agreement deed is appended to the tender form. Tenders received without the Agreement Deed, Earnest Money Deposit and Samples will be rejected outright. Further details, if any, can be had from the Office of the undersigned during office hours.
 - 6. Sufficient samples should be sent along with the tender. The samples should strictly conform to the specifications. Traders who are not manufacturers, should clearly specify the details of manufacturer in the samples.
 - 7. Other things being equal, preference will be given to goods bearing ISI certification mark and in the absence of certification marks, products conforming to IS: specification. Where uncertified goods are supplied by the seller with a claim of conformity to the relevant Indian Standards, it is his responsibility to produce a certificate of conformity from the Bureau of Indian Standards or any test house recognized by the BIS. Offers for articles with ISI mark should be accompanied by a duly attested copy of the latest valid license issued by BIS for manufacture of the articles with ISI mark.

തിരുവനന്തപുരം സ്റ്റേഷനറി കൺട്രോളറുടെ കാര്യാലയത്തിലക്ക് താഴെ പറയുന്ന പേപ്പർ/സ്റ്റേഷനറി ഇനങ്ങൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പരും ഇനവിവരവും	അളവ്
(1)	(2)	(3)
1	53/2012-13—(1)കളർ പ്രിന്റിംഗ് പേപ്പർ, RA1 സൈസ്, (61x86സെ.മീ) 60 ജി. എസ്. എം.(15.7 കി. ഗ്രാം/റീം 500 ഷീറ്റ്) (ഇളം പിങ്ക് നിറം) (2) കളർ പ്രിന്റിംഗ് പേപ്പർ, RA1സൈസ്, (61x 86സെ.മീ) 60	15.7 sm ³
l. എസ്. _{പ്}	്വാം.(15.7 കി. ഗ്രാം/റീം 500 ഷീറ്റ്) (ഇളം നീല നിറം) IS: 1848/2007 Tensile Index (Min) : CD-17, MD-25, Opacity (Min)-80% one Min Cobb (Max)-25	
2	$54/2012$ - 13 — (1) കളർ പ്രിന്റിംഗ് പേപ്പർ, $RA1$ സൈസ്, $(61x\ 86\ mv.a^3)$, 60 ജി. എസ്. എം. $(15.7\ കി.\ ഗ്രാം/റീം 500\ ഷീറ്റ്) (ഇളം മഞ്ഞ നിറം)$	15.7 "
റി. എസ്. പ്	(2) കളർ പ്രിന്റിംഗ് പേപ്പർ, RA1സൈസ്, (61x86 സെ.മീ) 60 go. (15.7 കി. ഗ്രാം/റീം 500 ഷീറ്റ്) (ഇളം പച്ച നിറം) IS: 1848/2007 Tensile Index (Min) : CD-17, MD-25, Opacity (Min)-80% one Min Cobb (Max)-25	15.7 "
3	55/2012- 13 — (1) കളർ കവർ പേപ്പർ, RA1 സൈസ്, $(61x86 ew.al)$ 90 ജി. എസ്. എം. $(23.6$ കി. ഗ്രാം/റീം 500 ഷീറ്റ്) (ഇളം പിങ്ക് നിറം)	10 "
() ജി. എറ	(2) കളർ കവർ പേപ്പർ, R $A1$ സൈസ്, $(61x86$ സെ.മീ) സ്. എം. $(23.6$ കി. ഗ്രാം $/$ റീം 500 ഷീറ്റ് $)$ (ഇളം നീല നിറം $)$	10 "
) ജി. എറ	(3) കളർ കവർ പേപ്പർ $\mathrm{RA1}$ സൈസ് $(61\mathrm{x}~86$ സെ.മീ) സ്. എം. $(23.6$ കി. ഗ്രാം റീം/500 ഷീറ്റ് $)$ (ഇളം മഞ്ഞ നിറം $)$	10 ടൺ
) ജി. എസ്	(4) കളർ കവർ പേപ്പർ RA1സൈസ് (61x 86സെ.മീ) റ്. എം.(23.6 കി. ഗ്രാം/റീം 500 ഷീറ്റ്) (ഇളം പച്ച നിറം) IS: 1848/2007	10 "
4	56/2012-13—(1) കളർ കവർ പേപ്പർ RA1 28.9 കി. ഗ്രാം 110 ജി. എസ്. എം. ഇളം പിങ്ക്, ഒരുവശം തിളക്കമുള്ളത്	8 "
	(2) കളർ കവർ പേപ്പർ, RA1 28.9 കി. ഗ്രാം 110 ജി. എസ്. എം. ഇളം നീല, ഒരുവശം തിളക്കമുള്ളത്	8 "
	(3) കളർ കവർ പേപ്പർ, $ { m RA1} $ 28.9 കി. ഗ്രാം $ 110 $ ജി. എസ്. എം. ഇളം മഞ്ഞ, ഒരുവശം തിളക്കമുള്ളത്	8 "
	(4) കളർ കവർ പേപ്പർ, RA1 28.9 കി. ഗ്രാം 110 ജി. എസ്. എം. ഇളം പച്ച, ഒരുവശം തിളക്കമുള്ളത്	8 "
5	57/2012- 13 —ക്രാഫ്റ്റ് പേപ്പർ, RA1 ($61x$ 86 സെ.മീ), x 75 ജി. എസ്. എം. (19.7 കി. ഗ്രാം/റീം 500 ഷീറ്റ്)	30 "
6	58/2012-13—(1) ക്രാഫ്റ്റ് പേപ്പർ, ഒരുവശം തിളക്കമുള്ളത് RA1 90 ജി. എസ്. എം. 23.6 കി. ഗ്രാം/റീം 500 ഷീറ്റ്	30 "
.0 ജി. എറ	(2) ക്രാഫ്റ്റ് പേപ്പർ, ഒരുവശം തിളക്കമുള്ളത് RA1 സ്. എം 28.9 കി. ഗ്രാം/റീം 500 ഷീറ്റ് IS: 1397/1996	30 "
7	59/2012-13— ടൈപ്പ്റൈറ്റിംഗ് പേപ്പർ, A4 (21 x 29.7സെ. മീ.) x 40 ജി. എസ്. എം. 1.25 കി. ഗ്രാം/റീം 500 ഷീറ്റ്) IS: 1848/2007	10 "
8	$60/2012$ - 13 — ഡ്യൂപ്ലിക്കേറ്റിംഗ് പേപ്പർ $A4$ (സെമി അബ്സോർബൻ്റ്) $A4$ (21×29.5 സെ. മീ.) $\times 75$ ജി. എസ്. എം. 2.3 കി. ഗ്രാം/റീം 500 ഷീറ്റ്) $IS: 1848/2007$	45 "

(1)	(2)	(3)
9	61/2012-13—കാംബ്രിക് ക്ലോത്ത് (130 സെ. മീ വീതി, 50 മീ. റോൾ (IS സ്പെസിഫിക്കേഷൻ അനുസരിച്ച്)	5000 മീറ്റർ
10 (IS സ്പെന	62/2012-13—സ്റ്റാമ്പ് പാഡ് ഇടത്തരം (11 x 7 സെ. മീ.) (വയലറ്റ്) ഗിഫിക്കേഷൻ അനുസരിച്ച്)	50000 എണ്ണം
11	63/2012-13—(1) ടാഗ് 17.5 സെ. മീ നീളമുള്ളത്, ഒരു ബണ്ടിൽ 100 എണ്ണം	50000 ബണ്ടിൽ
	(2) വെള്ള ടിയിൻ (50 ഗ്രാം വീതമുള്ള ബോൾ)	50000 ബാൾ
	(3) ചണനൂൽ (3 ply well twisted and gummed in ball of 100 gms) IS: 1912/1984.	50000 ബാൾ
12	64/2012-13—കോട്ടൺ കാലിക്കോ (90 സെ. മീ. വീതി 20 മീ.റോൾ) IS: 1544/1973.	10000 മീറ്റർ
13	65/2012-13—വിനൈൽ പൊതിഞ്ഞ റക്സിൻ (90 സെ. മീ വീതി, 20 മീ. റോൾ) (IS സ്പെസിഫിക്കേഷൻ അനുസരിച്ച്)	2000 മീറ്റർ
14	66/2012-13—ഗ്ലൂ ഷീറ്റ് (IS സ്പെസിഫിക്കേഷൻ അനുസരിച്ച്)	1000 കി.ഗ്രാം

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—ക്രമനമ്പർ 1-നും 6-നും 2,415, ക്രമനമ്പർ 2-ന് 2,100, ക്രമനമ്പർ 3-ന് 1,680; ക്രമനമ്പർ 4-നും 5-നും 1,785 ക്രമനമ്പർ 7-ന് 1,260; ക്രമനമ്പർ 8-ന് 3,150, ക്രമനമ്പർ 9-നും 12-നും 13-നും 14-നും 420; ക്രമനമ്പർ 10-ന് 1,155; ക്രമനമ്പർ 11-ന് 2,730.

പകർപ്പ്—ക്രമനമ്പർ 1-നും 6-നും 1,208; ക്രമനമ്പർ 2-ന് 1,050, ക്രമനമ്പർ 3-ന് 840; ക്രമനമ്പർ 4-നും 5-നും 893; ക്രമനമ്പർ 7-ന് 630, ക്രമനമ്പർ 8-ന് 1,575; ക്രമനമ്പർ 9-നും 12-നും 13-നും 14-നും 210; ക്രമനമ്പർ 10-ന് 578; ക്രമനമ്പർ 11-ന് 1,365.

ടെണ്ടർ ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—ക്രമനമ്പർ 1 മുതൽ 4 വരെ 25-9-2012 വൈകുന്നേരം 4 മണി, ക്രമനമ്പർ 5 മുതൽ 8 വരെ 26-9-2012 വൈകുന്നേരം 4 മണി വരെ, ക്രമനമ്പർ 9 മുതൽ 14 വരെ 27-9-2012 വൈകുന്നേരം 4 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—ക്രമനമ്പർ 1 മുതൽ 4 വരെ 26-9-2012 വൈകുന്നേരം 3 മണി, ക്രമനമ്പർ 5 മുതൽ 8 വരെ 27-9-2012 വൈകുന്നേരം 3 മണി, ക്രമനമ്പർ 9 മുതൽ 14 വരെ 28-9-2012 വൈകുന്നേരം 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—ക്രമനമ്പർ 1 മുതൽ 4 വരെ 26-9-2012 വൈകുന്നേരം 4 മണി, ക്രമനമ്പർ 5 മുതൽ 8 വരെ 27-9-2012 വൈകുന്നേരം 4 മണി വരെ, ക്രമനമ്പർ 9 മുതൽ 14 വരെ 28-9-2012 വൈകുന്നേരം 4 മണി.

ദർഘാസ് അടക്കം ചെയ്തിട്ടുള്ള കവറിന്റെ പുറത്ത് ദർഘാസ് നമ്പരും ഇനവും വ്യക്തമായി രേഖപ്പെടുത്തിയിരിക്കണം. സ്റ്റേഷനറി കൺട്രോളർ, തിരുവനന്തപുരം—695 033 എന്ന മേൽവിലാസത്തിലാണ് ദർഘാസുകൾ അയയ്ക്കേണ്ടത്. അതാത് ദർഘാസുകൾ തുറക്കുന്നതിനായി നിശ്ചയിച്ചിട്ടുള്ള തീയതികളിൽ വൈകുന്നേരം 3 മണിവരെ മാത്രം ദർഘാസുകൾ സ്വീകരിക്കുന്നതും അതേദിവസം 4 മണിക്ക് ദർഘാസുകാരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ പ്രതിനിധികളുടെയോ, സാന്നിദ്ധ്യത്തിൽ ദർഘാസ് തുറക്കുന്നതുമാണ്. താമസിച്ചുലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറങ്ങളും മറ്റ് വിവരങ്ങളും തിരുവനന്തപുരത്ത് സ്റ്റേഷനറി കൺട്രോളറുടെ കാര്യാലയത്തിൽ നിന്നും ദർഘാസ് തുറക്കുന്നതിന്റെ തലേദിവസം വൈകുന്നേരം 4 മണി വരെ ലഭിക്കുന്നതാണ്. താൽപ്പരുമുള്ളവർ ദർഘാസ് സമർപ്പിക്കേണ്ട നിശ്ചിത ഫോറത്തിനു വേണ്ടി സ്റ്റേഷനറി കൺട്രോളർക്ക് അപേക്ഷ നൽകേണ്ടതാണ്. ഫോറത്തിന്റെ വില പണമായി നേരിട്ടോ മണിയോർഡറായോ (സ്റ്റേഷനറി കൺട്രോളറുടെ ഔദ്യോഗിക മേൽവിലാസത്തിൽ മാത്രം) അടച്ചാൽ മതിയാകും. ചെക്ക്, ഡി. ഡി., പോസ്റ്റേജ് സ്റ്റാമ്പ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് വി. പി. പി. ആയി അയച്ചുകൊടുക്കുന്നതല്ല. ദർഘാസ് നമ്പർ അപേക്ഷയിൽ വ്യക്തമായി സൂചിപ്പിച്ചിമിക്കണം. ദർഘാസ് ഫോറത്തിന്റെ പകർപ്പ് ആവശ്യമുള്ളവർ അതിന്റെ വില കൂടി ഒടുക്കേണ്ടതാണ്. ഏതെങ്കിലും കാരണവശാൽ ദർഘാസ് തുറക്കുന്ന ദിവസം ആഫീസ് അവധിയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവർത്തിദിവസം ദർഘാസ് തുറക്കുന്ന സമയത്തിനും സ്ഥലത്തിനും മാറ്റം ഉണ്ടായിരിക്കുന്നതല്ല. കേരള സർക്കാർ സ്റ്റോർ പർച്ചേസ് വകുപ്പിൽ രജിസ്റ്റർ ചെയ്തതും കേരളത്തിനകത്തുള്ളതുമായ എസ്. എസ്. ഐ. യൂണിറ്റുകൾ ഒഴികെ, ടെങ്ങറിൽ പങ്കെടുകുന്ന എല്ലം സ്ഥാപനങ്ങളും ദർഘാസിനോടൊപ്പം നിരത്യദവ്യം നൽകേങ്ങതാണ്.